




Cross-walking Three-Axis/Five-Axis Servo Driven Robots

1. % & 2. % & 3. T



OUTER DIMENSIONS		MDE-80	MDE-80s	OPTION FUNCTION	
A	Overall length	1500mm/1550mm		No standard length option	
B	Overall width	1200mm/1250mm		No	
C	Base width	1200mm/1250mm		No, with the exception of the standard 1200mm	
D	Arm length	800mm/850mm		Standard length is 800mm, 850mm	
E	Arm width	200mm		Standard length is 200mm	
F	Arm height	200mm		Standard length is 200mm	
G	Arm width	200mm		Standard length is 200mm	
H	Arm height	200mm		Standard length is 200mm	
I	Arm width	200mm		Standard length is 200mm	
J	Arm height	200mm		Standard length is 200mm	
K	Arm width	200mm		Standard length is 200mm	
L	Arm height	200mm		Standard length is 200mm	
M	Arm width	200mm		Standard length is 200mm	
N	Arm height	200mm		Standard length is 200mm	

PLEASE DO NOT FEEL WORRYED AND PLEASE DO NOT WORRY ABOUT
THESE THINGS. WE WILL BE CONTACTING YOU WITH THE RESULTS AND
THE RESULTS WILL BE THE SAME AS THE RESULTS OF THE OTHERS.

54%

QUANTUM TOPSTAR TECHNOLOGY CO., LTD.

100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

100% 100% 100% 100%

100% 100% 100% 100%

100% 100% 100% 100% 100% 100% 100% 100%

